

Directors



Compact termination carabiners for every application

Directors are compact termination connectors. They are designed to load in a predetermined way in the strongest orientation. Ideal for lanyards of all descriptions, this family of lightweight, versatile and strong carabiners are easy to handle and can reduce the overall length of a system.

Featuring our new extra short gate, a generous curve in the loading area and boasting healthy gate openings, Directors combine with each other and a wide range of other DMM components such as pulleys, slings and the Linkit range to help build well organised and short assemblies.


FEATURES

- Compact, lightweight and versatile
- Designed to ensure major axis loading
- 'Rhino horn' ensures devices remain in loading area
- Incorporates DMM's shortest gate
- Low overall length well suited to restricted height scenarios
- Yoke and Swivel Boss versions compatible with existing range of DMM Linkit lightweight rigging components
- Yoke and Swivel Boss versions combine to make a double connector with swivel and pivot features
- Yoke and Swivel Boss version compatible with most stitched or spliced terminations
- Patented features
- Hot forged and CNC machined


› Director Yoke Kwiklock and Director Swivel Boss Kwiklock combo




ATTACHMENT METHODS




› Director Yoke Screwgate with webbing spacer (A622WS)




› Director Yoke Screwgate with rope spacer (A622RS)




› Director Swivel Eye Screwgate (A632)




› Director Swivel Boss Screwgate with Compact Shackle S - D shape (A662SS)




› Director Swivel Boss Screwgate with Compact Shackle L - Bow shape (A642BS) configured with two Director Captive Eye (A653 and A657)



› Three Director Yoke (A622, A623 and A627) configured with a Linkit B3 (SW530)




› Director Yoke Screwgate and Director Swivel Boss Screwgate combo




› Three Director Swivel Boss configured with a Linkit Y3 (SW540)

ATTACHMENT METHODS

DIRECTOR V05




› Two Director Yoke (A622, A627) configured with a Linkit B2T (SW510)




› Director Yoke (A623) configured with a Linkit B2T (SW510) and Compact Shackle S - D shape (SW410)


PRODUCT INFORMATION



› Two Director Yoke (A622, A627) configured with a Linkit B2 (SW520)




› Director Yoke Locksafe (A627) configured with a Linkit B2 (SW520) and Compact Shackle L - Bow shape (SW420)




› Director Swivel Boss Locksafe with Compact Shackle S - D shape (A647SS)




› Director Captive Eye




› Director Yoke Web Spacer




› Director Yoke Rope Spacer



› Director Swivel Eye



› Director Swivel Boss Bow



› Director Swivel Boss D



› Double Director



TECH SPECS

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Captive Eye Screwgate	A652	Titanium/Lime	64 x 93mm	59g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T
Director Captive Eye Kwiklock	A653	Titanium/Red	64 x 93mm	64g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T
Director Captive Eye Locksafe	A657	Titanium/Green	64 x 93mm	65g	26kN	9kN	16mm	-	EN362, 2004 T, EN12275:2013 T

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Yoke Screwgate Web Spacer	A622WS	Titanium/Lime	64 x 98mm	68g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T
Director Yoke Kwiklock Web Spacer	A623WS	Titanium/Red	64 x 98mm	75g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T
Director Yoke Locksafe Web Spacer	A627WS	Titanium/Green	64 x 98mm	76g	26kN	9kN	16mm	-	EN362, 2004 T, EN12275:2013 T

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Yoke Screwgate Rope Spacer	A622RS	Titanium/Lime	64 x 98mm	68g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Yoke Kwiklock Rope Spacer	A623RS	Titanium/Red	64 x 98mm	75g	26kN	9kN	17mm	-	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Yoke Locksafe Rope Spacer	A627RS	Titanium/Green	64 x 98mm	76g	26kN	9kN	16mm	-	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Swivel Eye Screwgate	A632	Titanium/Lime	64 x 116mm	90g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Swivel Eye Kwiklock	A633	Titanium/Red	64 x 116mm	95g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Swivel Eye Locksafe	A637	Titanium/Green	64 x 116mm	96g	26kN	9kN	16mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Swivel Boss Bow Screwgate	A642BS	Titanium/Lime	64 x 130mm	98g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Swivel Boss Bow Kwiklock	A643BS	Titanium/Red	64 x 130mm	104g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A
Director Swivel Boss Bow Locksafe	A647BS	Titanium/Green	64 x 130mm	105g	26kN	9kN	16mm	3kN	EN362, 2004 T, EN12275:2013 T EN12275:2013, EN362:2004 A

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Swivel Boss D Shackle Screwgate	A642SS	Titanium/Lime	64 x 130mm	98g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T
Director Swivel Boss D Shackle Kwiklock	A643SS	Titanium/Red	64 x 130mm	104g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T
Director Swivel Boss D Shackle Locksafe	A647SS	Titanium/Green	64 x 130mm	105g	26kN	9kN	17mm	3kN	EN362, 2004 T, EN12275:2013 T

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (GATE OPEN)	GATE OPENING	WLL	CERTIFICATION
Director Double Connector Screwgate	A662	Titanium/Lime	64 x 189mm	178g	26kN	9kN	17mm	3kN	EN362:2004 T/A, EN12275:2013 T/A
Director Double Connector Kwiklock	A663	Titanium/Red	64 x 189mm	190g	26kN	9kN	17mm	3kN	EN362:2004 T/A, EN12275:2013 T/A
Director Double Connector Locksafe	A667	Titanium/Green	64 x 189mm	192g	26kN	9kN	16mm	3kN	EN362:2004 T/A, EN12275:2013 T/A

DIRECTOR V05



PRODUCT INFORMATION