



**TWB15**

window breacher

technical data sheet

**LIBERVIT**  
manufacturer



# LIBERVIT BLACKline

for Police & Gendarmerie  
special forces

# LIBERVIT DÉFENSE

for military forces



From a general point of view, even the highest performance equipment will not by itself solution all the situations.

It does not completely cancel the risk encountered by the special units' users on an operation.

As a manufacturer we OWE to ourselves and to the users to give priority to quality, reliability, performance and innovations.

We will never be confronted to front line situations but you on the other hand are facing them daily in France or elsewhere around the world and sometime while using one of our tools.

It is at this very moment that our choice of components, raw material to manufacture the tools that you are using, at this very moment when you are about to give the "GO ahead" that the equipment must prove itself failproof!

Internationally, France benefits from a strong reputation in the fields of security at the operational knowhow level as much as in the equipment manufacturing.

At LIBERVIT, we are experienced technicians, our professional ethic is unwavering and above all we know and respect those using our products and because of this close relationship we have considered their insights and suggestions in the making of our tools.

We pride ourselves in manufacturing French. All the labelled equipment that you had, have or will have in your hands, are made in France with more than 90% of components and raw materials of French origin or from close European Union countries such as Germany, Norway and Italy.

Our 25 years in the design and manufacturing of hydraulic and mechanical tools with land and water applications for the army and police special forces, our seriousness, our professionalism, and our never ended search for innovations has made us a key player within these professional environments.

LIBERVIT is represented in over 60 countries through our specialized Distributors network offering commercial advice, demos, maintenance and after sale service.

All of the LIBERVIT team and myself are available to ensure that none of your question remains unanswered.

We wish you a pleasant read.

Yvan CARDONA, CEO

## Quality & Reliability

LIBERVIT will provide, for a minimum of 10 years after delivery, any of its tools' spare parts.  
All our equipments comply with CE standard.

Unless otherwise specified by us, our equipments are guaranteed for 3 years from the dispatch date. The guarantee covers construction defects as well as material flaws noted by our services.

Our organization, from engineering to customers' service is ISO 9001 certified. It guarantees a high quality, life-long performance and complete reliability of our tools and equipment.

All our tools undergo rigorous test & control before shipment.







We would like to thank you for the trust you keep showing us every day. LIBERVIT has been and still is extremely proud of manufacturing high quality entry tools and to dedicate its resources to design, developing and sharing experiences with end-users. It honours us to display your insignia, a proof of our long lasting relationship, and it would honour us if you would consider sending us yours to appear in our next edition.

Communication service : [communication@libervit.com](mailto:communication@libervit.com)



# TWB15 TELESCOPIC WINDOW BREACHER

to break and pierce windows, shutters, metallic curtains.



## TWB15



The TWB15 window breacher works great to remove the toughest windows, blinds and curtains. The telescopic rod is perfect for piercing, pulling, pushing and ripping out windows. Its telescopic handle is perfect to reduce its size for transport and storage. Its 360° handle offers 4 locking points.



serrated cutting edge and spike



360° handle with 4 locking points



telescopic handle

### TECHNICAL CHARACTERISTICS

Window breacher	ref. TWB15
Blade length	250 mm - 9 inch
hardness	M310
steel type	stainless steel
blade type	serrated cutting edge and spike
blade	replaceable
rod	telescopic
handle	360° handle with 4 locking points
handle material	electrical shocks' protective coating
available colours	dark grey, black or olive green
retracted length	1200 mm - 4 ft
deployed length	1650 mm - 5.5 ft
weight	3.3 kg - 7 lbs



> **QUOTATIONS** : [quotations@libervit.com](mailto:quotations@libervit.com)



> **ORDERS** : [orders@libervit.com](mailto:orders@libervit.com)



> **AFTER SALES SERVICE** : [aftersales@libervit.com](mailto:aftersales@libervit.com)



[libervit.com](http://libervit.com)



[gallery-libervit.com](http://gallery-libervit.com)

We have tried to be as thorough as possible in the making of this document. However, some information might be incomplete or incorrect. LIBERVIT SAS cannot in anyway be held responsible for any of the consequences these errors could have.

If in doubt about some of the information rightness please contact our communication service through e-mail: [communication@libervit.com](mailto:communication@libervit.com)

This document cannot be reproduce in part or entirely, be edited or distributed to the public without an authorization from LIBERVIT.

LIBERVIT - Espace Polygone - 218 rue Ettore Bugatti - 66000 Perpignan - FRANCE  
Phone : +33 (0)4 68 50 05 25 - Fax : +33 (0)4 68 66 98 97 - [courrier@libervit.com](mailto:courrier@libervit.com)  
[www.libervit.com](http://www.libervit.com)

